





Security page 8
Insulation page 10
Convenience page 13
Colours page 14
Remote Control page 19
Accessories page 22
Smart Home page 23

### Trusted and quality assured

AlluGuard is totally focussed on you. Choosing a product for your home as important as a garage door is not something you do very often. Perhaps only once or twice in a lifetime!

To purchase with confidence requires a company you can trust - a quality assured company.

AlluGuard's reputation is built on quality and we are independently certified to prove that our quality management systems are industry acknowledged! Our products are designed to give you the ultimate in performance ensuring that you'll be happy to recommend AlluGuard.

Safety always comes first at AlluGuard. All our products carry a CE mark and have been independently tested for safe operation and compliance with legislation to EN 13241-1.








### Buy with confidence!







## Insulated Roller Garage Doors

Insulated roller garage doors are wonderfully simple in everyday use thanks to smart technology. Over the coming pages we'll introduce the clever features on AlluGuard insulated roller garage doors, but by way of introduction here are the highlights:

### How easy is that!



### They open at the touch of a button.

Smart controls ensure safe and effortless opening every time.

### They take up less space

than any other garage door, rolling up into a compact space with no tracks projecting into the garage.

### They keep out the weather

so your garage is no longer a draughty no-go area.



### They are Police Approved

for security. Protect valuable items stored in your garage with our independently tested Secured by Design door, the AlluGuard77.



### They make extra space

by fitting behind the opening giving you a wider and taller opening. This increases drive-through width by up to 150mm (6") and drivethrough height by up to 75mm (3") Vertical opening means the door doesn't project out onto your drive or into the garage space allowing you to park up to the door, inside and out.

Read on... or watch online at: www.thegaragedoorchannel.co.uk













Everything works at just the touch of a button these days!



# They look simply stunning

The gentle curve and the subtle lines of each slat are finished in a tough polyester powder coating or a high grade laminate to create an overall look that is classic and contemporary in equal measure.



Every door is manufactured to our ISO 9001 certified quality systems and CE certified and marked as safe to Directive EN 13241-1.

# They are covered by fair warranties

AlluGuard roller doors are covered by a comprehensive warranty of two and five years - see the back page for full details.





## AlluGuard 77 & AlluGuard 55 -

### What's the difference?

All the features only smaller! AlluGuard 55 uses a smaller slat that allows it to roll tighter requiring less space at the top of the door. It's the ideal choice when headroom is especially limited.









# Security 5





### **Security Matters**

Bikes, fitness equipment, tools... whatever you keep in your garage in addition to your car, it's always a surprise when you add up the value - often several thousand pounds! To keep your possessions secure look for the Secured by Design symbol - the only form of national Police accreditation for security - you'll find it on our AlluGuard 77 garage door.

### Secured by Design

AlluGuard77 is designed to be secure and has been awarded the Secured by Design Police Preferred Specification status. To achieve Secured by Design, doors are independently tested and certified to the standard, giving you peace of mind that your new garage door is secure to a Police approved standard.


### Alarmed

The door control unit for AlluGuard 77 and 55 doors employs magnetic contacts on the bottom of the door to monitor the door's position when locked. If an attempt is made to lever the bottom of the door upwards a piercing alarm is triggered to deter intruders.





Heavy duty extruded aluminium quides secure the door at the sides.



The extruded aluminium bottom slat adds extra strength to resist forcing. See page 15 for notes on colours.



Remote control means there's no external lock to pick or attack.

## What is Secured by Design?

Secured by Design (SBD) is the UK Police flagship initiative that is founded on the principles of designing out crime and crime prevention.

SBD supports one of the Government's key planning objectives: the creation of secure, quality places where people wish to live and work.

Research carried out by Huddersfield University shows that residents living on Secured by Design Developments are half as likely to be burgled and two and a half times less likely to suffer vehicle crime. Secured by Design Developments also benefit from **Secured by Design** 



**Police Preferred Specification** 

We store a lot of stuff in our garage so the extra security of AlluGuard's roller door was first on the list for us!





## U Value: 5.2W/m<sup>2</sup>K

## Insulation





### Fully Insulated & Finished to Perfection

AlluGuard is designed to give thermal and acoustic insulating properties much higher than the average garage door.

'CFC' Free Polyurethane Foam within the Aluminium Lath plus high performance weather sealing ensures good insulation.


It's perfect if you want to use your garage as a work/play room or your garage is under a bedroom.

The corrosion resistant aluminium laths are light yet strong and can be finished in a range of solid colours or woodgrain textures - see pages 14-15.





Brush strips reduce draughts and the bottom seal keeps out wind blow debris.











## Convenience





### No wasted space

Roller garage doors operate vertically, rolling into a compact coil within the garage, above the opening. Not only does this mean you can park right up to the garage door, but valuable space is not taken up inside your garage which could be used for storage.

### Takes up less space

Because it rolls 'tighter' than other roller doors, AlluGuard takes up less headroom when open - just 300mm for the AlluGuard 77 and even less for AlluGuard55 at 205mm.

The door typically sits behind the brickwork, allowing any existing frame to be removed. This increases drive-through width by up to 150mm (6") and drivethrough height by up to 75mm (3")

This, and its very compact side runners, gives you much more room to manoeuvre.

Doors can even be fitted externally where headroom is extremely limited.

## Good looks inside and out

The outside of the door is simply stunning, the inside equally impressive. Whether you choose a powder coated door with matching guides and box or a laminated door with Mocca brown guides and box, the installation is incredibly neat and compact – no wasted space inside your garage!



The neat inside is made even tidier with the option of a box to house the door roll.



Extra drive through width of up to six inches - 150mm helps keep your wing mirrors unmarked!



### Solid colours

Low maintenance powdercoat finishes for AlluGuard77 garage doors are available in these stylish

\* Denotes non-stock colour options



\*Pale Grey RAL 7038



Burgundy RAL 3004



Wood effect painted Low maintenance wood effect

powdercoat finishes for AlluGuard77 door are available in the following

wood shades:




Golden Oak Painted



\*Irish Oak Painted

White RAL 9016

Cream RAL 9001



Blue RAL 5011



Duck Egg Blue BS 18 E 50

### Wood effect laminate

Low maintenance wood effect laminate finishes for AlluGuard77 door are available in the following wood shades:



Black RAL 9011



Chartwell Green BS 14 C 35



Mahogany



Anthracite Grey RAL 7016



Racing Green RAL 6009

\*Moss Green RAL 6005



Golden Oak



Rosewood





Mocca Brown RAL 8019



#### Notes on colours

Coloured guide rails are supplied as standard, however, they may not perfectly match the lath colour. The manufacturing process for the lath profile results in a textured finish, whilst all other coloured items (guides, bottom laths, lock laths, optional fascias and vision panels) are supplied in a satin finish, so cannot be guaranteed to match exactly. Over time some scuffing / pressure marks may occur on front and rear surfaces of doors as a result of their normal operation.

Colours shown are for guide purposes only and are limited by the printing process. Please ask to see a colour sample to confirm your choice.


# AlluGuard 77

I want my garage door to match my windows!



## Colours

AlluGuard's wide choice of finishes ensure your new garage door not only looks good for years to come, but also complement the look of your home.



### The door curtain

The door curtain is available powdercoat finished in the solid colours and wood effects and wood effect laminate shown left.

The rear of the door slats is finished to match the front on powdercoated doors and in white on wood effect laminates.



### The door guides

The guides match the door curtain colour as standard on all solid powdercoat colours. Wood effect powdercoat and laminate doors are supplied with Mocca Brown guides. Rosewood and Golden Oak wood effects are also available with a complementing powdercoat finish as a no-cost option.



### The door roll box

Doors are supplied without a roll box as standard but are available as an option with a half or full roll box. These are finished to match the door guides for all solid colours. Rosewood Golden Oak, Irish Oak, Walnut and Mahogany are finished in Mocca Brown. Rosewood and Golden Oak wood effects are also available finished with a complementing powdercoat wood effect finish.



The standard configuration is with no roll box.



The half box option helps prevent debris dropping onto the door roll



The full box option encloses the door roll for a very neat installation.



Requiring only 205mm of headroom, the AlluGuard55 has the benefits of the larger AlluGuard77, but in a very compact space.

### Solid colours

 $Low\ maintenance\ powder coat\ finish\ for\ AlluGuard 55\ garage\ doors\ are\ available\ in\ these\ classic\ colours:$ 



### Wood effect laminate

 $Low\ maintenance\ wood\ effect\ laminate\ finishes\ for\ AlluGuard 55\ door\ are\ available\ in\ the\ following\ wood\ shades:$ 





The AlluGuard 55 fits in smaller spaces!

#### Notes on colours

Coloured guide rails are supplied as standard, however, they may not perfectly match the lath colour. The manufacturing process for the lath profile results in a textured finish, whilst all other coloured items (guides, bottom laths, lock laths, optional fascias and vision panels) are supplied in a satin finish, so cannot be guaranteed to match exactly. Over time some scuffing / pressure marks may occur on front and rear surfaces of doors as a result of their normal operation.

Colours shown are for guide purposes only and are limited by the printing process. Please ask to see a colour sample to confirm your choice.

# Colours

AlluGuard's wide choice of finishes ensure your new garage door not only looks good for years to come, but also complement the look of your home.



I'm smaller but perfectly formed!
AlluGuard 55



### The door curtain

The door curtain is available powdercoat finished in the solid colours and wood effects and wood effect laminate shown left.

The rear of the door slats is finished to match the front on powdercoated doors and in white on wood effect laminates.



### The door quides

The guides match the door curtain colour as standard on all solid powdercoat colours. Wood effect laminate doors are supplied with Mocca Brown guides. Rosewood and Golden Oak wood effects are also available with a complementing powdercoat finish as a no-cost option.



### The door roll box

Doors are supplied with a half roll box as standard but are available as an option with a full roll box. These are finished to match the door guides for all solid colours. Rosewood, Golden Oak and Mahogany are finished in Mocca Brown.



The half box is standard.



The full box option encloses the door roll for a very neat installation.

Colours shown are for guide purposes only and are limited by the printing process. Please ask to see a colour sample to confirm your choice.



## Remote Control





### Effortless performance

Remote control is a standard feature that makes using your door effortless and secure. No need to get out of your car on a wet and windy night!

### Controls to suit you

With a range of controls available, choosing the ideal way to operate your doors couldn't be easier. Remote control, wall switch, keypad... see page 22 for the full range of options.

### The control unit

The Rollixo RTS wireless or wired and the Sommer wired control unit is the doors'"brain". It responds to signals from the remote control and other accessories to operate the door.

It has an integrated courtesy light to guide your way and buttons to operate the door. It also houses the intruder protection alarm that sounds when attempts are made to force the door by levering up the bottom slat.









# All AlluGuard garage doors come with the following:

- Rollixo RTS Wireless or Wired Control Unit
- 2 Keygo RTS Keyfobs
- Electrical Wireless Safety Edge / Optical Wired Safety Edge

#### OR•

- Sommer Wired Control Unit
- 2 Sommer Keyfobs
- Optical Wired Safety Edge

### Remote control

Compact, stylish and keyfob friendly, the Somfy or Sommer remotes control your doors and can also be programmed to control gates, lights and more in one stylish handset. Two are supplied as standard and more can easily be added.



### Safety Edge

Peace of mind protection for you and your family. The doors' bottom edge rubber seal incorporates an electric or optical sensor along its length to detect obstructions and instantly stop and reverse the door a short distance when closing.

Wireless and wired versions are available certified and marked as safe to Directive EN 13241-1.







If the power fails a simple hand crank is used to operate the door.



External Power fail override

An optional external crank with lockable access is also available should there be no other access to the garage.



Weather resistance is excellent with a rubber compression seal to the bottom of the door and a brush strip within the guides.

# Features at a glance

AlluGuard takes the concept of the roller garage door to a new level. It out-performs the ordinary garage door for ease of use, insulation, finishes, safety and security and all doors are manufactured

under strict and controlled guidelines. More and more homes are benefiting from an AlluGuard roller garage door - take a look at the features that make all the difference:



Smooth & quiet
Felt on the barrel rings help

Felt on the barrel rings help reduce marking to the door curtain over time and reduce operating noise.



Safe

The safety edge stops and reverses the travel of the door on contact with an obstruction.



Powerful

Concealed within the barrel of the door is a powerful and quiet motor that drives the door and holds the curtain locked when closed.



Secure

Security is excellent with strong locking straps that prevent forced lifting of the door.



### Complete control

The wall-mounted control unit has a courtesy light to guide your way and push button control for the door. The alarm is also housed in the control unit that sounds on an attempt to force up the door from the bottom slat.



Safety brake

A safety brake is fitted to every AlluGuard 77 door that will prevent the door from dropping in the unlikely event of a motor failure.

### **Automation Accessories**

Automated as standard, the features of the AlluGuard77 and AlluGuard55 garage door systems are already at a luxury level. To further enhance day-to-day use this range of control options provides extra flexibility.





### Secure Metal Keypad (IP54)

The anti-vandal keypad with a metal case and secure smart rolling code technology, gives you peace of mind for secure access to your garage.



#### Radio Wall Switch

This wall mounted wireless switch can be installed inside the garage or home for easy operation of your garage door. Also available wired.



### Rocker Switch

This wall mounted wired rocker switch can be installed inside the garage or home for simple operation of your garage door.





### Pearl Vibe Remote

Two Pearl Vibe remote controls are supplied with every door. Extra remote controls can be added and are easy to programme.



### Telecody+ Digital wireless key pad

Just punch in the code and the door opens without the need for a handset.



### Smoove Wall Switch

The Smoove wall switch, available in white or black and single and double fittings, add touch sensitive controls to your new door system.



### Wired Key Switch

This externally wall mounted key switch allows operation without the use of a hand transmitter and is an alternative to our keypads.



#### Standard Receiver RTS

The waterproof standard receiver allows keyfobs, keypads and key switches to effortlessly control your outdoor lighting, gate, etc. Can be externally mounted.



### Holder for 4 button handsets

Wall mount a handset with this simple holder.



### Wireless wall switch

Wall mounted wireless two-command switch with door status indicator.



### Keygo Remote

Two Keygo 4 RTS remote controls are supplied with every door. Extra remote controls can be added and are easy to programme.



### Wireless Digital Keypad

This externally wall mounted keypad will accept a 4 to 13 digital code to open and close your garage door without the hand transmitter.



### Lighting Slim Receiver RTS

Available as an optional upgrade, our new slim receiver connects a light to the mains power supply to allow control from an RTS control unit.



## ENTRAsys GD Finger Print Scanner

Your fingerprint gives you access - store up to 80 finger prints.



### Battery Backup (all doors)

Allows your door to operate for 6-10 operations over a 12 hour period during a power-cut. Two sizes available.

## Accessories

### Door options



### Curtain roll box

Half and full boxes are available to suit AlluGuard77 doors. Either option will take up 300mm headroom on top of the guide height.

AlluGuard55 doors are supplied with half box as standard. Both half or full box has 205mm headroom on top of the guide height.



#### Vented laths

Vented laths are available in powder coated colours only.



### Manual Exterior Release

For use in emergencies or in the event of power failure. The manual release allows the door to be opened manually from outside the garage - essential if the garage has no other entry point.



### Vision slats

Polycarbonate clear glazing is available for AlluGuard77 doors on a proportion of the door curtain to allow natural light into the garage (not available on AlluGuard55).

Woodgrain finish doors are only available with brown vision laths.



#### Lockable Override Cover

A lockable cover to protect the manual override access point on externally fitted doors.

## Smart Living starts with AlluGuard

"Smart Home" is no longer just a technology buzz word, but more and more part of every day life. It's just so convenient to be able to control devices with your tablet, pc or smart phone.

At AlluGuard we've embraced this exciting technology and called it "Smart Living".

We've been using Somfy motors and controls on our garage doors for many years, so extending capability into smart technology with such a proven partner was an easy decision! Somfy's Smart Home systems are the industries best!

### Two systems:





Connexoon, centres around access to and from your home, providing smart control of your garage door, gate and lighting.



### 



Tahoma is the complete smart home solution for monitoring and operating your garage doors, gates, blinds, curtains, lights, electrical equipment, heating and home security.

Take a look over the next two pages to see just how smart your home can be!

## CINNEXOON



### An intuitive solution

The Connexoon Access RTS allows you to operate your Somfy motorised garage door, gate and lighting from your smartphone. Anytime, anywhere. Intuitive, smart, simple to use!

Connexoon Access RTS is simplicity itself to set up and the smart phone app is clear and simple to use, allowing control of up to 30 connected products.

### 4 smart functions

In addition to individual control of your connected products - open your garage door, turn on the drive lights, Connexoon Access RTS has four easy to configure smart functions:

### Welcome home...

Open and close all your access products with a simple click on your smartphone. The geolocation will make sure your garage door and gate will be open and lights on when you arrive to your home. You can adjust the distance from your house between 50 and 250m. The "Welcome home"function is the true hands free access product, no more looking for controls, allowing full concentration when driving.

### Leave home...

Link the products you want to the "Leave home" function. The garage door can be closed and the lights on to imply occupancy while you are not at home.

### Compatible products





Rolling garagedoor Rollixo RTS

Gate openers RTS







Indoor plug RTS Philips Hue lighting

### Open access...

Link the products you want to the "Open access" function. The garage door and gate can be opened and the lights on in one

### Close access...

All your access products can be closed with 1 click!



### 

Somfy Smart Home puts you in control, makes your life easier, more comfortable and gives you peace of mind, wherever your are.

Monitor and operate your garage doors, blinds, curtains, lights, electrical equipment and heating with your smart-phone or tablet.

You can adjust everything about the Somfy Smart Home System to accommodate your personal preferences. Keep an eye on your home using cameras and movement detectors for home surveillance, great for peace of mind.

Somfy TaHoma is a smart box and the heart of your Smart Home. It links you to your home via the smart TaHoma app. Somfy Smart Home solutions are extremely easy to use and can be installed

with very little trouble. Add products whenever it suits your needs or your budget.

### TaHoma Hub

The Somfy TaHoma hub allows control of your garage door and other compatible home items from your tablet, pc or smart phone. The door must be in line of sight to ensure safe operation.

The TaHoma is the beating heart of Somfy Smart Home. This smart box not only allows you to control individual products remotely via smart-phone, it also enables you to create scenario's involving groups of products and connects you to your home at all times.

A typical scenario might include linking your lights, window shutters and garage door together in a 'leave' scenario and Somfy Smart Home will take care of everything. The window

shutters close, all the lights are turned off and the garage door automatically closes behind you.

Smart living starts with AlluGuard's Somfy Smart Home.







## Discover the possibilities of Somfy Smart Home!

**⊕** TaHoma<sup>®</sup>









nocean

**WAVE** 



Compatible Protocols



Garage door Sensor\*



Outdoor motion sensor\*





Movement detector RTD - Small pets\*



Movement detector RTD - Large pet\*



Lighting receiver indoor ON/OFF



Lighting receiver outdoor ON/OFF



TaHoma security remote control\*



Remote controlled socket



Water Leakage Sensor\*



Sun sensor\*



Scenario player\*



Indoor security camera



Indoor movement detector\*



Opening detector\*



Smoke detector\*



Temperature sensor\*



Indoor siren\*


### \*BATTERY OPERATED - NO HARD WIRING REQUIRED!

You choose how to control your smart home: by smart-phone, tablet, computer or your connected watch.









### Safety - CE marking

It is against the law to install a power operated garage door in the UK without complying with The Machinery Directive.

To comply with the Machinery Directive both the door and the motor and controller used in the installation must have a Declaration of Incorporation from the manufacturer.

On completion of the installation the installer must provide a Declaration of Conformity and apply a CE mark giving details of the installation to the door / motor and controller combination, which is now classed as a machine.

The installer must issue to the customer a Declaration of Conformity, maintenance and operation instructions on the completion of the installation.

The installer must hold copies of both the Declaration of Incorporation and the Declaration of Conformity on a technical file for inspection by the relevant authorities.

If any of the above requirements are not fulfilled the Installation is illegal and may be unsafe.

Please ensure for your own safety and peace-ofmind that whoever installs your electric motor and controller is both willing and able to fulfil these requirements; if they are not – do not use them.

Choose a member of the DHF Garage Door Installer Group who CAN and WILL install your motor and controller safely and legally.





√dhf











### Peace-of-Mind Warranties

(a) AlluGuard roller garage doors are guaranteed against any form of manufacturing defect for a period of 2 years from the date of original purchase.

(b) AlluGuard tubular motors are guaranteed against any form of manufacturing defect for a period of 5 years. Other electrical and mechanical elements within the control system are guaranteed for a period of 5 years.

(c) AlluGuard roller garage doors exterior finish is guaranteed to provide an effective weatherproof membrane that will resist perforation of the substrate from the weather side due to corrosion for a period of 5 years. Colour change or fade to the exterior surface will be limited and uniform during the guarantee period. Guarantees are subject to conditions - please visit www.alluguard.co.uk/warranty for full details.



AlluGuard Limited Rotherham Road, Parkgate, Rotherham S62 6FP

t: 01709 529 723 f: 01709 524 577

e: info@alluguard.co.uk

w: www.alluquard.co.uk



Also from AlluGuard -Sectional Garage Doors